

Graph Traversal

Data Structures and Algorithms for Computational Linguistics III (ISCL-BA-07)

Çağrı Çöltekin
ccoltekin@ufa.uni-tuebingen.de

University of Tübingen
Seminar für Sprachwissenschaft

Winter Semester 2021/22

www.iscl.uni-tuebingen.de

Graph traversal

- A graph traversal is a systematic way to visit all nodes in a graph
- Graph traversal is one of the basic tasks on a graph, answering many interesting questions
 - Is there a path from one node to another?
 - What is the shortest path (with minimum number of edges) between two nodes?
 - Is the graph connected?
 - Is the graph cyclic?
 - ...
- Two main methods of traversals are *breadth-first* and *depth-first*

C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 1 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - intuition

- Depth first search follows the same idea as exploring a labyrinth with a string and a chalk
- Visit each intersection (node), while marking the path you took with the string
- Mark each visited node, backtrack (following the string) when hit a dead end



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 2 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - algorithm

```
def dfs(start, visited=None):
    if visited is None:
        visited = {start: None}
    for node in start.neighbors():
        if node not in visited:
            visited[node] = start
            dfs(node, visited)
```

- Depth-first search (DFS) is easy with recursion
- DFS starts from a start node
- Marks each node it visits as *visited* (typically put it in a set data structure)
- Then, take an arbitrary *unvisited* neighbor, and continue visiting the nodes recursively
- Algorithm terminates when backtracking leads to the start node with no unvisited nodes left

C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 3 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - demonstration

- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 4 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - demonstration

- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 5 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - demonstration

- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 6 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - demonstration

- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 7 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - demonstration

- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 8 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - demonstration

- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 9 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - demonstration

- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 10 / 14

Introduction/Introduction Depth First Search Problems solved by traversal

DFS - demonstration

- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**



C. Çöltekin, ISL / University of Tübingen

Winter Semester 2021/22 11 / 14

DFS - demonstration



- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

DFS - demonstration



- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

DFS - demonstration



- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

DFS - demonstration



- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

DFS - demonstration



- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

DFS - demonstration



- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

DFS - demonstration



- The edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the DFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the DFS tree are called **back edges**
- The edges to a descendant node in the DFS tree are called **forward edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

Properties of DFS

- DFS visits all nodes in the connected component from the start node
- Discovery edges form a spanning tree of the connected component
- If a node v is connected to the start node, there is a path from the start node v in the DFS tree
- The DFS algorithm visits each node and check each edge once (twice for undirected graphs)
- The complexity of the algorithm is $O(n + m)$ for n nodes and m edges

Dangers of DFS



<https://xkcd.com/781/>

BFS - intuition

- A way to think about breadth-first search (BFS) is to explore all options in parallel
- In the maze, at every intersection send out people in all directions
- BFS divides the nodes into levels:
 - starting node at level 0
 - nodes directly accessible from start at level 1
 - ...



BFS - algorithm

```
def bfs(start):
    queue = [start]
    visited = {start: None}
    while queue:
        current = queue.pop(0)
        for node in current.neighbors():
            if node not in visited:
                visited[node] = current
                queue.append(node)
```

- Typically implement BFS is implemented with a queue
- The algorithm visits nodes closest to the start node first
- If you replace the queue with a stack, you get an iterative version of the DFS

BFS - demonstration



- Similar to DFS, the edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the BFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the BFS tree are called **back edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

BFS - demonstration



- Similar to DFS, the edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the BFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the BFS tree are called **back edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

BFS - demonstration



- Similar to DFS, the edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the BFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the BFS tree are called **back edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

BFS - demonstration



- Similar to DFS, the edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the BFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the BFS tree are called **back edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

BFS - demonstration



- Similar to DFS, the edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the BFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the BFS tree are called **back edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

BFS - demonstration



- Similar to DFS, the edges that we take to discover a new node are called the **discovery edges**
- The discovery edges form the BFS tree
- The other edges are called non-tree edges
- The edges to an ancestor in the BFS tree are called **back edges**
- The edges to a non-ancestor/non-descendant node in the BFS tree are called **cross edges**

Properties of BFS

- DFS visits all nodes in the connected component from the start node
- Discovery edges form a spanning tree of the connected component
- If a node v is reachable from the start node, the BFS finds the **shortest path** from the start node to v
- The BFS algorithm visits each node and check each edge once
- The complexity of the algorithm is $O(n + m)$ for n nodes and m edges

Problems solved by graph traversals

- Finding a path between two nodes (if one exists)
 - Yes if the "visited" nodes have the same length as the nodes of the graph
- Testing whether G is connected
 - Run traversal multiple times, until all nodes are visited
- Computing connected components of G
- Detecting cycles

Finding a path between two nodes

- Traverse the graph from the source node, record the **discovery edges**
- Start from the target node, trace the path back to the source
- With BFS, we get the shortest path
- Running time is the length of the path: $O(n)$

```
def find_path(source, target, visited):
    path = []
    if target in visited:
        path.append(target)
        current = target
        while current is not source:
            parent = visited[current]
            path.append(parent)
            current = parent
        return path.reverse()
```

Some other problems solved by graph traversal

- Is the graph connected?
 - Yes if the "visited" nodes have the same length as the nodes of the graph
- Find the connected components
 - Run traversal multiple times, until all nodes are visited
- Is the graph cyclic?
 - A graph is cyclic if there is a back edge during graph traversal

Summary

- Traversal is one of the basic operations in graphs
- Graph traversals already solve some interesting problems:
 - Find a path (shortest with BFS)
 - Test connectivity, find connected components
 - Find cycles
- Reading on graphs: Goodrich, Tamassia, and Goldwasser (2013, chapter 14)
- Next:
 - More graph algorithms: special problems on directed graphs, shortest paths

Acknowledgments, credits, references

- Goodrich, Michael T., Roberto Tamassia, and Michael H. Goldwasser (2013). *Data Structures and Algorithms in Python*. John Wiley & Sons, Incorporated. isbn: 9781118476734.

